## **Listing of Claims:**

- 1. (Currently amended) An isolated polynucleotide with the function of a promoter, comprising a first nucleic acid, wherein said <u>first</u> nucleic acid has a nucleotide sequence that is:
- (a) at least 90% 95% identical to a reference nucleotide sequence set forth in SEQ ID NO:7; or
  - (b) identical to a reference nucleotide sequence set forth in SEQ ID NO:7.
- 2. (Original) The polynucleotide of claim 1, wherein said polynucleotide regulates transcription of β-galactosidase in a bacterial host cell.
  - 3. (Canceled).
- 4. (Currently amended) The polynucleotide of claim 1, further comprising a second nucleic acid operably associated with said first nucleic acid and regulated by said first nucleic acid.
- 5. (Original) The polynucleotide of claim 4, wherein said second nucleic acid encodes a polypeptide.
- 6. (Original) The polynucleotide of claim 5, wherein said polypeptide is selected from the group consisting of: (a) a polypeptide, which is a component of an amino acid biosynthesis pathway; (b) a polypeptide, which is a component of a purine nucleotide biosynthesis pathway; and (c) a heterologous polypeptide.
- 7. (Original) The polynucleotide of claim 6, wherein said polypeptide is a component of an amino acid biosynthesis pathway.
- 8. (Original) The polynucleotide of claim 7 wherein said amino acid biosynthesis pathway is a lysine biosynthesis pathway.

- 9. (Original) The polynucleotide of claim 7, wherein said polypeptide is selected from the group consisting of: (a) aspartokinase, (b) diaminopimelate dehydrogenase, (c) diaminopimelate decarboxylase, (d) dihydrodipicolinate synthetase, (e) dihydrodipicolinate reductase, (f) aspartate beta-semialdehyde dehydrogenase, and (g) pyruvate carboxylase.
- 10. (Original) A method of producing a vector which comprises inserting the polynucleotide of claim 1 into a vector.
  - 11. (Original) A vector comprising the polynucleotide of claim 1.
  - 12. (Original) A vector comprising the polynucleotide of claim 4.
  - 13. (Original) A vector comprising the polynucleotide of claim 6.
  - 14. (Original) A host cell comprising the vector of claim 11.
- 15. (Original) The host cell of claim 14, wherein said host cell is a Corynebacterium species.
  - 16. (Original) A host cell comprising the vector of claim 12.
  - 17. (Original) A host cell comprising the vector of claim 13.
- 18. (Original) A method of producing a transformed Corynebacterium species host cell comprising: (a) introducing into Corynebacterium species cells the vector of claim 17, and (b) selecting said host cell.
- 19. (Original) A method of production of a biosynthetic product, comprising culturing the host cell of claim 18 in or on a culture medium, and recovering said product.
- 20. (Previously presented) An isolated polynucleotide comprising a nucleic acid which hybridizes to a reference nucleic acid, or the complement thereof, under stringent hybridization conditions, wherein the sequence of said reference nucleic acid is set forth in SEQ ID NO: 7, and wherein said nucleic acid is at least 30 nucleotides in length.

- 21. (Original) The polynucleotide of claim 20, wherein said polynucleotide regulates transcription of β-galactosidase in a bacterial host cell.
  - 22-24. (Canceled).
- 25. (Currently amended) An isolated polynucleotide comprising a <u>first</u> nucleic acid wherein the sequence of said <u>first</u> nucleic acid comprises at least 50 contiguous nucleotides of SEQ ID NO:7.
- 26. (Currently amended) The polynucleotide of claim 25, wherein the sequence of said <u>first</u> nucleic acid comprises 150 contiguous nucleotides of SEQ ID NO:7.
- 27. (Currently amended) The polynucleotide of claim 25, further comprising a second nucleic acid operably associated with said first nucleic acid and regulated by said first nucleic acid.
- 28. (Original) The polynucleotide of claim 27, wherein said second nucleic acid encodes a polypeptide.
- 29. (Original) The polynucleotide of claim 28, wherein said polypeptide is selected from the group consisting of: (a) a polypeptide which is a component of an amino acid biosynthesis pathway; (b) a polypeptide which is a component of a purine nucleotide biosynthesis pathway; and (c) a heterologous polypeptide.
- 30. (Original) The polynucleotide of claim 29, wherein said polypeptide is a component of an amino acid biosynthesis pathway.
- 31. (Previously presented) A method of producing a vector which comprises inserting the polynucleotide of claim 25 into a vector.
  - 32. (Previously presented) A vector comprising the polynucleotide of claim 25.
  - 33. (Original) A vector comprising the polynucleotide of claim 27.

- 34. (Original) A host cell comprising the vector of claim 32.
- 35. (Original) The host cell of claim 34, wherein said host cell is a Corynebacterium species.
  - 36. (Original) A host cell comprising the vector of claim 33.
- 37. (Original) A method of producing a transformed Corynebacterium species host cell comprising: (a) introducing into Corynebacterium species cells the vector of claim 33, and (b) selecting said host cell.
- 38. (Original) A method of production of a biosynthetic product, comprising culturing the host cell of claim 36 in or on a culture medium, and recovering said product.
  - 39-73. (Canceled).